

■ HUMMER Cannulated Screw 2.7



Specification	
Thread Length	1/2
Pin	φ0.9mm

Code	Specification
9932301210	φ 2.7 × 10
9932301212	φ 2.7 × 12
9932301214	φ 2.7 × 14

■ HUMMER Cannulated Screw 2.7



Specification	
Thread Length	1/3
Pin	φ0.9mm

Code	Specification
9932302216	φ 2.7 × 16
9932302218	φ 2.7 × 18
9932302220	φ 2.7 × 20
9932302222	φ 2.7 × 22
9932302224	φ 2.7 × 24
9932302226	φ 2.7 × 26
9932302228	φ 2.7 × 28
9932302230	φ 2.7 × 30

■ HUMMER Cannulated Screw 3.0



Specification	
Thread Length	1/2
Pin	φ1.1mm

Code	Specification
9932303210	φ 3.0 × 10
9932303212	φ 3.0 × 12
9932303214	φ 3.0 × 14

■ HUMMER Cannulated Screw 3.0



Specification	
Thread Length	1/3
Pin	φ1.1mm

Code	Specification	Code	Specification
9932304216	φ 3.0 × 16	9932304230	φ 3.0 × 30
9932304218	φ 3.0 × 18	9932304232	φ 3.0 × 32
9932304220	φ 3.0 × 20	9932304234	φ 3.0 × 34
9932304222	φ 3.0 × 22	9932304236	φ 3.0 × 36
9932304224	φ 3.0 × 24	9932304238	φ 3.0 × 38
9932304226	φ 3.0 × 26	9932304240	φ 3.0 × 40
9932304228	φ 3.0 × 28		

■ HUMMER Cannulated Screw 3.5



Specification	
Thread Length	1/3
Pin	φ1.2mm

Code	Specification	Code	Specification
9932305220	φ 3.5 × 20	9932305236	φ 3.5 × 36
9932305222	φ 3.5 × 22	9932305238	φ 3.5 × 38
9932305224	φ 3.5 × 24	9932305240	φ 3.5 × 40
9932305226	φ 3.5 × 26	9932305242	φ 3.5 × 42
9932305228	φ 3.5 × 28	9932305244	φ 3.5 × 44
9932305230	φ 3.5 × 30	9932305246	φ 3.5 × 46
9932305232	φ 3.5 × 32	9932305248	φ 3.5 × 48
9932305234	φ 3.5 × 34	9932305250	φ 3.5 × 50

■ HUMMER Cannulated Screw 3.5



Specification	
Thread Length	Fully Threaded
Pin	φ1.2mm

Code	Specification	Code	Specification
9932305110	φ 3.5 × 10	9932305132	φ 3.5 × 32
9932305112	φ 3.5 × 12	9932305134	φ 3.5 × 34
9932305114	φ 3.5 × 14	9932305136	φ 3.5 × 36
9932305116	φ 3.5 × 16	9932305138	φ 3.5 × 38
9932305118	φ 3.5 × 18	9932305140	φ 3.5 × 40
9932305120	φ 3.5 × 20	9932305142	φ 3.5 × 42
9932305122	φ 3.5 × 22	9932305144	φ 3.5 × 44
9932305124	φ 3.5 × 24	9932305146	φ 3.5 × 46
9932305126	φ 3.5 × 26	9932305148	φ 3.5 × 48
9932305128	φ 3.5 × 28	9932305150	φ 3.5 × 50
9932305130	φ 3.5 × 30		

HUMMER Cannulated Screw 4.0



Specification	
Thread Length	1/3
Pin	φ1.2mm

Code	Specification	Code	Specification
9932306220	φ4.0 × 20	9932306236	φ4.0 × 36
9932306222	φ4.0 × 22	9932306238	φ4.0 × 38
9932306224	φ4.0 × 24	9932306240	φ4.0 × 40
9932306226	φ4.0 × 26	9932306242	φ4.0 × 42
9932306228	φ4.0 × 28	9932306244	φ4.0 × 44
9932306230	φ4.0 × 30	9932306246	φ4.0 × 46
9932306232	φ4.0 × 32	9932306248	φ4.0 × 48
9932306234	φ4.0 × 34	9932306250	φ4.0 × 50

HUMMER Cannulated Screw 4.5



Specification	
Thread Length	1/3
Pin	φ1.6mm

Code	Specification	Code	Specification
9932307230	φ4.5 × 30	9932307246	φ4.5 × 46
9932307232	φ4.5 × 32	9932307248	φ4.5 × 48
9932307234	φ4.5 × 34	9932307250	φ4.5 × 50
9932307236	φ4.5 × 36	9932307254	φ4.5 × 54
9932307238	φ4.5 × 38	9932307256	φ4.5 × 58
9932307240	φ4.5 × 40	9932307262	φ4.5 × 62
9932307242	φ4.5 × 42	9932307266	φ4.5 × 66
9932307244	φ4.5 × 44	9932307270	φ4.5 × 70

HUMMER Cannulated Screw 4.5



Specification	
Thread Length	Fully Threaded
Pin	φ1.6mm

Code	Specification	Code	Specification
9932307130	φ4.5 × 30	9932307146	φ4.5 × 46
9932307132	φ4.5 × 32	9932307148	φ4.5 × 48
9932307134	φ4.5 × 34	9932307150	φ4.5 × 50
9932307136	φ4.5 × 36	9932307154	φ4.5 × 54
9932307138	φ4.5 × 38	9932307158	φ4.5 × 58
9932307140	φ4.5 × 40	9932307162	φ4.5 × 62
9932307142	φ4.5 × 42	9932307166	φ4.5 × 66
9932307144	φ4.5 × 44	9932307170	φ4.5 × 70

HUMMER Cannulated Screw 6.5



Specification	
Thread Length	16mm
Pin	φ2.5mm

Code	Specification	Code	Specification
9932308250	φ6.5 × 50	9932308290	φ6.5 × 90
9932308255	φ6.5 × 55	9932308291	φ6.5 × 95
9932308260	φ6.5 × 60	9932308292	φ6.5 × 100
9932308265	φ6.5 × 65	9932308293	φ6.5 × 105
9932308270	φ6.5 × 70	9932308294	φ6.5 × 110
9932308275	φ6.5 × 75	9932308295	φ6.5 × 115
9932308280	φ6.5 × 80	9932308296	φ6.5 × 120
9932308285	φ6.5 × 85		

HUMMER Cannulated Screw 6.5



Specification	
Thread Length	32mm
Pin	φ2.5mm

Code	Specification	Code	Specification
9932309245	φ6.5 × 45	9932309285	φ6.5 × 85
9932309250	φ6.5 × 50	9932309290	φ6.5 × 90
9932309255	φ6.5 × 55	9932309291	φ6.5 × 95
9932309260	φ6.5 × 60	9932309292	φ6.5 × 100
9932309265	φ6.5 × 65	9932309293	φ6.5 × 105
9932309270	φ6.5 × 70	9932309294	φ6.5 × 110
9932309275	φ6.5 × 75	9932309295	φ6.5 × 115
9932309280	φ6.5 × 80	9932309296	φ6.5 × 120

HUMMER Cannulated Screw 6.5



Specification	
Thread Length	Fully Threaded
Pin	φ2.5mm

Code	Specification	Code	Specification
9932308180	φ6.5 × 80	9932308191	φ6.5 × 95
9932308185	φ6.5 × 85	9932308192	φ6.5 × 100
9932308170	φ6.5 × 70	9932308193	φ6.5 × 105
9932308175	φ6.5 × 75	9932308194	φ6.5 × 110
9932308180	φ6.5 × 80	9932308195	φ6.5 × 115
9932308185	φ6.5 × 85	9932308196	φ6.5 × 120
9932308190	φ6.5 × 90		

HUMMER Cannulated Screw 7.3



Specification	
Thread Length	16mm
Pin	φ2.5mm

Code	Specification	Code	Specification
9932312260	φ7.3 × 60	9932312291	φ7.3 × 95
9932312265	φ7.3 × 65	9932312292	φ7.3 × 100
9932312270	φ7.3 × 70	9932312293	φ7.3 × 105
9932312275	φ7.3 × 75	9932312294	φ7.3 × 110
9932312280	φ7.3 × 80	9932312295	φ7.3 × 115
9932312285	φ7.3 × 85	9932312296	φ7.3 × 120
9932312290	φ7.3 × 90		

HUMMER Cannulated Screw 7.3



Specification	
Thread Length	32mm
Pin	φ2.5mm

Code	Specification	Code	Specification
9932313290	φ7.3 × 60	9932313291	φ7.3 × 95
9932313295	φ7.3 × 65	9932313292	φ7.3 × 100
9932313270	φ7.3 × 70	9932313293	φ7.3 × 105
9932313275	φ7.3 × 75	9932313294	φ7.3 × 110
9932313280	φ7.3 × 80	9932313295	φ7.3 × 115
9932313285	φ7.3 × 85	9932313296	φ7.3 × 120
9932313290	φ7.3 × 90		

HUMMER Washer



Code	Specification (φ of cannulated screw)
9932318000	φ8 (2.7/3.0)
9932314000	φ10 (3.5/4.0)
9932315000	φ10 (4.5)
9932316000	φ12 (6.5/7.0/7.3)

HUMMER Headless Cannulated Screw II 2.5



Specification	
Thread Length	Fully Threaded
Pin	φ0.75mm

Code	Specification
9932410108	φ2.5 × 8
9932410109	φ2.5 × 9
9932410110	φ2.5 × 10
9932410111	φ2.5 × 11
9932410112	φ2.5 × 12
9932410114	φ2.5 × 14
9932410116	φ2.5 × 16
9932410118	φ2.5 × 18
9932410120	φ2.5 × 20
9932410122	φ2.5 × 22
9932410124	φ2.5 × 24

HUMMER Headless Cannulated Screw II 3.5



Specification	
Thread Length	Fully Threaded
Pin	φ1.1mm

Code	Specification
9932411116	φ3.5 × 16
9932411118	φ3.5 × 18
9932411120	φ3.5 × 20
9932411121	φ3.5 × 21
9932411122	φ3.5 × 22
9932411123	φ3.5 × 23
9932411124	φ3.5 × 24
9932411126	φ3.5 × 26
9932411128	φ3.5 × 28
9932411130	φ3.5 × 30

HUMMER Headless Cannulated Screw II 4.0



Specification	
Thread Length	Fully Threaded
Pin	φ1.5mm


Code	Specification
9932412118	φ4.0 × 18
9932412120	φ4.0 × 20
9932412122	φ4.0 × 22
9932412124	φ4.0 × 24
9932412126	φ4.0 × 26
9932412128	φ4.0 × 28
9932412130	φ4.0 × 30
9932412132	φ4.0 × 32
9932412134	φ4.0 × 34
9932412136	φ4.0 × 36
9932412138	φ4.0 × 38
9932413140	φ4.0 × 40
9932413145	φ4.0 × 45
9932413150	φ4.0 × 50

- 0.75mm K-wire
- 0.9mm K-wire
- 1.1mm K-wire
- 1.2mm K-wire
- 1.5mm K-wire
- 1.8mm K-wire
- 2.5mm K-wire
- 0.75mm Cleaning Stylet
- 0.9mm Cleaning Stylet
- 1.1mm Cleaning Stylet
- 1.2mm Cleaning Stylet
- 1.5mm Cleaning Stylet
- 1.8mm Cleaning Stylet
- 2.5mm Cleaning Stylet
- 0.75mm Insert Drill Sleeve
- 1.1mm Insert Drill Sleeve
- 1.7mm Long Drill, Cannulated
- 1.7mm Drill Bit, Cannulated
- 2.0mm Long Drill, Cannulated
- 2.2mm Drill Bit, Cannulated
- 2.5mm Drill Bit, Cannulated
- 2.55mm Long Drill, Cannulated
- 3.0mm Drill Bit, Cannulated
- 4.5mm Drill Bit, Cannulated
- 5.0mm Drill Bit, Cannulated

- 2.5mm Threaded K-wire
- Countersink, Cannulated
- 1.7mm Profile Drill, Cannulated
- 2.0mm Profile Drill, Cannulated
- 2.55mm Profile Drill, Cannulated
- Torx Screwdriver Shaft, Cannulated, T6
- Torx Screwdriver Shaft, Cannulated, T10

- Torx Screwdriver Shaft, T6
- Torx Screwdriver Shaft, T10
- 0.75mm/1.7mm Double Drill Sleeve
- 2.0mm/2.55mm Double Drill Sleeve
- 0.9mm/1.7mm Double Drill Sleeve
- 1.1mm/2.2mm Double Drill Sleeve
- 1.2mm/2.5mm Double Drill Sleeve
- 1.5mm/3.0mm Double Drill Sleeve
- Measuring Device (Small)
- Measuring Device (Medium)
- Measuring Device (Large)
- Tap For 3.5 Cannulated Screws
- Tap For 4.0 Cannulated Screws
- Tap For 4.5 Cannulated Screws

- Tap For 6.5 Cannulated Screws
- Tap For 7.3 Cannulated Screws
- Hex Screwdriver, SW2.5
- Hex Screwdriver, SW4.0
- Hex Screwdriver, Cannulated, SW2.5
- Hex Screwdriver, Cannulated, SW4.0



HUMMER Cannulated Screw System Instrument Set 2.7/3.0mm 8203000

Code	Description	Quantity
8203070	0.9mm K-wire	3
8203090	0.9mm Cleaning Stylet	1
8203030	1.7mm Drill Bit, Cannulated	2
8203071	1.1mm K-wire	3
8203091	1.1mm Cleaning Stylet	1
8203031	2.2mm Drill Bit, Cannulated	2
8203040	Countersink, Cannulated	1
8203060	Measuring Device	1
8203110	0.9mm/1.7mm Double Drill Sleeve	1
8203111	1.1mm/2.2mm Double Drill Sleeve	1
8203200	Torx Screwdriver Shaft, T10	1
8203210	Torx Screwdriver Shaft, Cannulated, T10	1
8201170	Handle with Quick Coupling, Cannulated	1
8108320	Screw Holding Forceps	1
8203010	HUMMER Cannulated Screw Instrument Case 2.7/3.0	1
8203020	HUMMER Cannulated Screw Rack 2.7/3.0	1



HUMMER Cannulated Screw System Instrument Set 3.5/4.0/4.5mm 8201000

Code	Description	Quantity
8108180	1.2mm K-wire	1
8201090	1.2mm Cleaning Stylet	1
8201030	2.5mm Drill Bit, Cannulated	3
8201050	Tap For 3.5 Cannulated Screws	1
8201051	Tap For 4.0 Cannulated Screws	2
8108181	1.6mm K-wire	1
8201091	1.6mm Cleaning Stylet	1
8201031	3.0mm Drill Bit, Cannulated	3
8201052	Tap For 4.5 Cannulated Screws	1
8201110	1.2mm/2.5mm Double Drill Sleeve	2
8201111	1.6mm/3.0mm Double Drill Sleeve	1
8201060	Measuring Device	1
8201151	Hex Screwdriver, SW2.5	1
8201161	Hex Screw Driver, Cannulated, SW2.5	1
8201170	Handle with Quick Coupling, Cannulated	1
8201160	Hex Screwdriver Shaft, Cannulated, SW2.5	1
8201040	Countersink, Cannulated	1
8108320	Screw Holding Forceps	1
8201190	Extractor	1
8201010	HUMMER Cannulated Screw Instrument Case 3.5/4.0/4.5	1
8201020	HUMMER Cannulated Screw Rack 3.5/4.0/4.5	1



■ HUMMER Cannulated Screw System Instrument Set 6.5/7.3mm 8202000

Code	Description	Quantity
8202070	2.5mm K-wire	3
8202080	2.5mm Threaded K-wire	3
8202081	2.5mm Cleaning Stylet	1
8202030	4.5mm Drill Bit, Cannulated	1
8202050	Tap For 6.5 Cannulated Screws	1
8202031	5.0mm Drill Bit, Cannulated	1
8202051	Tap For 7,3 Cannulated Screws	1
8202040	Countersink, Cannulated	1
8202060	Measuring Device	1
8202120	Parallel Adjustable Guide	1
8202130	Multi Holes Guide	1
8202150	Hex Screwdriver, SW4.0	1
8202160	Hex Screwdriver, Cannulated, SW4.0	2
8202140	Screw Holding Sleeve	1
8201190	Extractor	1
8202010	HUMMER Cannulated Screw Instrument Case 6.5/7.3	1
8202020	HUMMER Cannulated Screw Screw Rack 6.5/7.3	1



■ HUMMER Headless Cannulated Screw System Instrument Set 2.5/3.5/4.0mm 8204000

Code	Description	Quantity
8204070	0.75mm K-wire	4
8204090	0.75mm Cleaning Stylet	1
8204100	0.75mm Insert Drill Sleeve	1
8204030	1.7mm Long Drill, Cannulated	2
8204031	1.7mm Profile Drill, Cannulated	1
8204210	Torx Screwdriver Shaft, Cannulated, T6	1
8204200	Torx Screwdriver Shaft, T6	1
8204071	1.1mm K-wire	4
8204101	1.1mm Insert Drill Sleeve	1
8204091	1.1mm Cleaning Stylet	1
8204211	Torx Screwdriver Shaft, Cannulated, T10	1
8204201	Torx Screwdriver Shaft, T10	1
8204032	2.0mm Profile Drill, Cannulated	1
8204033	2.0mm Long Drill, Cannulated	2
8204072	1.5mm K-wire	4
8204092	1.5mm Cleaning Stylet	1
8204034	2.55mm Profile Drill, Cannulated	1
8204035	2.55mm Long Drill, Cannulated	2
8201160	Hex Screwdriver Shaft, Cannulated, SW2.5	1
8201150	Hex Screwdriver Shaft, SW2.5	1
8201170	Handle with Quick Coupling, Cannulated	1
8204060	Measuring Device for 1.1mm/1.5mm K-Wire	1
8204061	Measuring Device for 0.75mm K-Wire	1
8204110	0.75mm/1.7mm Double Drill Sleeve	1
8204111	2.0mm/2.55mm Double Drill Sleeve	1
8204010	HUMMER Headless Cannulated Screw Instrument Case	1
8204020	HUMMER Headless Cannulated Screw Rack	1

